

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

YK/ ESTADOS RAIN FOREST COLOGNE

Article number:

4467471

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Not for personal use. Only for industrial use.

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products. Our products are Inedible and are not used for food production.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GÜLÇİÇEK KİMYA VE UÇANYAĞLAR SANAYİ VE TİCARET A.Ş.
G.O.S.B. Gebze OSB Mah. 3300 Cad. No:3306/1 PK.41400
Gebze – Kocaeli / TÜRKİYE

Further information obtainable from:

kalite@gulcicek.com

1.4 Emergency telephone number:

+90 (262) 677 00 00 pbx Only available during office hours (UTC+2)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

GHS08

GHS09

Signal word

Warning

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone
Tangerine oil
Linalyl acetate

Hazard statements

3,7-Dimethyl-1,6-nonadien-3-ol
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

Precautionary statements

H361 Suspected of damaging fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

Description:

Multi component mixture.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

Trade name: **YK/ ESTADOS RAIN FOREST COLOGNE**

(Contd. of page 1)

Dangerous components:

CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	30-40%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran Aquatic Acute 1, H400; Aquatic Chronic 1, H410	5-10%
CAS: 93686-22-7 EINECS: 297-672-2	Tangerine oil Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	5-10%
CAS: 115-95-7 EINECS: 204-116-4	Linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	2.5-5%
CAS: 10339-55-6 EINECS: 233-732-6	3,7-Dimethyl-1,6-nonadien-3-ol Eye Irrit. 2, H319; Skin Sens. 1B, H317	2.5-5%
CAS: 18479-58-8 EINECS: 242-362-4	Dihydromyrcenol Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 78-70-6 EINECS: 201-134-4 Index number: 603-235-00-2	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	2.5-5%
CAS: 118-58-1 EINECS: 204-262-9	Benzyl Salicylate Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	2.5-5%
CAS: 63500-71-0 ELINCS: 405-040-6	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol Eye Irrit. 2, H319	1-2.5%
CAS: 1205-17-0 EINECS: 214-881-6	alpha-methyl-1,3-benzodioxole-5-propionaldehyde Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1, H317	1-2.5%
CAS: 107898-54-4 ELINCS: 411-580-3 Index number: 603-150-00-0	santol pentenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315	1-2.5%
CAS: 60-12-8 EINECS: 200-456-2	Phenethyl alcohol Acute Tox. 4, H302; Eye Irrit. 2, H319	1-2.5%
CAS: 99-85-4 EINECS: 202-794-6	p-Mentha-1,4-diene Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	1-2.5%
CAS: 1506-02-1 EINECS: 216-133-4	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid) Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	1-2.5%
CAS: 85085-41-2 EINECS: 285-370-3	Cedarwood oil Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1-2.5%
CAS: 65405-77-8 EINECS: 265-745-8	cis-3-hexenyl salicylate Aquatic Acute 1, H400; Aquatic Chronic 2, H411	0.1-1%
CAS: 106-22-9 EINECS: 203-375-0	dl-Citronellol Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	0.1-1%
CAS: 127-51-5 EINECS: 204-846-3	alpha-iso-Methylionone Aquatic Chronic 2, H411; Skin Sens. 1B, H317	0.1-1%
CAS: 5392-40-5 EINECS: 226-394-6 Index number: 605-019-00-3	Citral Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	0.1-1%
CAS: 4707-47-5 EINECS: 225-193-0	Methyl atrarate Skin Sens. 1B, H317	0.1-1%
CAS: 68738-94-3 EINECS: 272-119-8	Octahydro-8,8-dimethylnaphthalene-2-carbaldehyde Skin Sens. 1B, H317	0.1-1%
CAS: 80-56-8 EINECS: 201-291-9	alpha-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317	0.1-1%
CAS: 97-53-0 EINECS: 202-589-1	Eugenol Eye Irrit. 2, H319; Skin Sens. 1B, H317	0.1-1%
CAS: 79-92-5 EINECS: 201-234-8	camphene Flam. Sol. 1, H228; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1-1%
CAS: 128-37-0 EINECS: 204-881-4	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1-1%
CAS: 5462-06-6 EINECS: 226-749-5	4-Methoxy-alpha-methylbenzenepropanal Skin Sens. 1B, H317	0.1-1%
CAS: 61931-80-4 EINECS: 263-336-9	3,7-Dimethyl-1,6-nonadien-3-yl acetate Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	0.1-1%
CAS: 127-91-3 EINECS: 204-872-5	beta-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	0.1-1%
CAS: 99-87-6 EINECS: 202-796-7	p-cymene Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	0.1-1%
CAS: 8000-48-4 EINECS: 283-406-2	terpinolene 20 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%
CAS: 84775-71-3 EINECS: 283-900-8	Eucalyptus globulus oil Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%
	Ocimum basilicum, ext. Muta. 2, H341; Carc. 2, H351; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	0.1-1%

(Contd. on page 3)
EU

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

Trade name: **YK/ ESTADOS RAIN FOREST COLOGNE**

CAS: 87-44-5	beta-Caryophyllene	(Contd. of page 2)
EINECS: 201-746-1	Asp. Tox. 1, H304; Skin Sens. 1B, H317; Aquatic Chronic 4, H413	0.1-1%
CAS: 105-87-3	Geranyl acetate	0.1-1%
EINECS: 203-341-5	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 101-86-0	alpha-Hexylcinnamaldehyde	≤0.1%
EINECS: 202-983-3	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
CAS: 198404-98-7	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]-	≤0.1%
ELINCS: 427-900-1	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 300371-33-9	2,3-Dihydro-1,1-dimethyl-1H-indene-ar-propanal	≤0.1%
	Acute Tox. 4, H302; Skin Sens. 1B, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, foam, dry chemical.
Never use a direct water jet on burning material.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.

Additional information: Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
Keep away from ignition sources.
Wear protective clothing.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Clean the affected area carefully; suitable cleaners are:
Warm water and cleansing agent
Organic solvent

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.

Information about fire - and explosion protection:

Protect from heat.
Protect against electrostatic charges.
Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

Trade name: **YK/ ESTADOS RAIN FOREST COLOGNE**

(Contd. of page 3)

Protect from humidity and water.
Protect from exposure to the light.
Store in a cool place.
No further relevant information available.

. 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

. Additional information about design of technical facilities:

No further data; see item 7.

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

. DNELs

54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthalenyl)ethanone

Dermal DNEL Acute Local 0.1011 mg/cm² (workers)

Inhalative DNEL Chronic Systemic 1.76 mg/m³ (workers)

79-92-5 camphene

Dermal DNEL Chronic Systemic 0.21 mg/kg-bw/day (workers)

DNEL Acute Systemic 1.25 mg/kg bw/day (workers)

Inhalative DNEL Acute Systemic 110.19 mg/m³ (workers)

. Additional information:

The lists valid during the making were used as basis.

. 8.2 Exposure controls

. Personal protective equipment:

. General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
Do not eat or drink while working.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

. Respiratory protection:

. Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection:

Goggles recommended during refilling

. Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

. 9.1 Information on basic physical and chemical properties

. General Information

. Appearance:

Form: Clear, Liquid
Colour: Colorless to very pale yellow
Odour: Fresh, Floral

. Flash point:

83°C

. Auto-ignition temperature:

Product is not selfigniting.

. Explosive properties:

Product does not present an explosion hazard.

. Density at 25°C:

0.942 - 0.952 g/cm³

. Refractive Index at 25° C:

1.4780 - 1.4850

. Solubility in / Miscibility with water:

Fully miscible.

. alcohols:

Fully miscible.

. 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

. 10.1 Reactivity

No further relevant information available.

. 10.2 Chemical stability

Stable in standard conditions.

. Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 5)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

Trade name: **YK/ ESTADOS RAIN FOREST COLOGNE**

(Contd. of page 4)

10.3 Possibility of hazardous reactions

It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

10.4 Conditions to avoid

Direct heat sources.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Carbon Monoxide and Unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

Oral LD50 5000 mg/kg (rat)

Dermal LD50 5000 mg/kg (rat)

1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Oral LD50 >4640 mg/kg (rat)

Dermal LD50 >6500 mg/kg (rat)

118-58-1 Benzyl Salicylate

Oral LD50 2227 mg/kg (rat)

Dermal LD50 14150 mg/kg (rabbit)

1205-17-0 alpha-methyl-1,3-benzodioxole-5-propionaldehyde

Oral LD50 3562 mg/kg (rat)

107898-54-4 santol pentenol

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

Oral LD50 964 mg/kg (rat)

Dermal LD50 7940 mg/kg (rat)

65405-77-8 cis-3-hexenyl salicylate

Oral ATE 2500 mg/kg (rat)

79-92-5 camphene

Oral LD50 5000 mg/kg (rat)

Dermal LD50 2500 mg/kg (rab)

128-37-0 Butylated hydroxytoluene

Oral LD50 2930-6000 mg/kg (rat)

Dermal LD50 2000 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

EC50 48h 1.38 mg/l (daphnia)

EC50 72h 2.6 mg/l (alg)

LC50 96h 1.3 mg/l (fish)

NOEC 42 h >100 mg/l (bacteria)

NOEC 30 d 0.16 mg/l (fish)

NOEC 21 d 0.028 mg/l (daphnia)

1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

EC50 48h 0.9 mg/l (daphnia)

ErC50 72h >0.854 mg/l (alg)

EbC50 72h >0.723 mg/l (alg)

LC50 21d 0.452 mg/l (fish)

NOEC 21 d 0.111 mg/l (daphnia)

118-58-1 Benzyl Salicylate

EC50 1.7 mg/kg (daphnia)

(Contd. on page 6)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

Trade name: **YK/ ESTADOS RAIN FOREST COLOGNE**

(Contd. of page 5)

107898-54-4 santol pentenol

EC50 48h 1 mg/l (daphnia)

ErC50 72h 1 mg/l (alg)

LC50 96h 1.2 mg/l (fish)

1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

EC50 21d 0.244 mg/l (daphnia) (OECD211)

IC50 72h 0.8 mg/l (alg) (OECD 201)

LC50 21d 0.314 mg/l (fish) (OECD 204)

NOEC >22 mg/l (NEN 6515)

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Ecotoxicological effects:

Remark:

Toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name

ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Tangerine oil)

IMDG


ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Tangerine oil), MARINE POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Tangerine oil)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

9 Miscellaneous dangerous substances and articles.

Label

9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

-

(Contd. on page 7)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 17.08.2021

Revision: 17.08.2021

Trade name: **YK/ ESTADOS RAIN FOREST COLOGNE**

(Contd. of page 6)

. IMDG	5L
. Limited quantities (LQ)	Code: E1
. Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
. UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE, TANGERINE OIL), 9, III

SECTION 15: Regulatory information

. **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

. Directive 2012/18/EU

. Named dangerous substances - ANNEX I None of the ingredients is listed.

. Seveso category E1 Hazardous to the Aquatic Environment

. Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

. Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. **Relevant phrases**

H226 Flammable liquid and vapour.
H228 Flammable solid.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

. **Recommended restriction of use**

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products.
Our products are Inedible and are not used for food production.

. **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

. **Customs tariffs:** 3302.90.90.00.00

. **Contact:** S.Ulker
kalite@gulcicek.com

. **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Flam. Sol. 1: Flammable solids – Category 1
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 2: Reproductive toxicity – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3